




## SQUARE-SLOT


### QSQ265

**Block:** 220 x 265mm  
**Slot:** 40mm  
**Height:** 2600mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC




### QSQ300 (TEX)

**Block:** 305 x 305mm  
**Slot:** 40mm  
**Height:** 2736mm  
**Thickness:** 30mm  
\*textured finish  
\*solid lightweight GFRC




### QMSQ300

**Block:** 309 x 300mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC




### QMSQ400

**Block:** 309 x 400mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC




### QMSQ480

**Block:** 309 x 480mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



### QMSQ600

**Block:** 309 x 600mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



The information contained in this document may change without given notice.



## V-SLOT

### QMV265

**Block:** 220 x 265mm  
**Slot:** 40mm  
**Height:** 2600mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



### QV300 (TEX)

**Block:** 305 x 305mm  
**Slot:** 35mm  
**Height:** 2720mm  
**Thickness:** 30mm  
\*textured finish  
\*solid lightweight GFRC



### QMV300

**Block:** 309 x 300mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



### QMV400

**Block:** 309 x 400mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



### QMV600

**Block:** 309 x 600mm  
**Slot:** 41mm  
**Height:** 2800mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC



The information contained in this document may change without given notice.

# QUOINS


V01.2021



## PLAIN


### QF300 (TEX)

Width: 305mm  
Height: 2700mm  
Thickness: 30mm  
\*textured finish  
\*solid lightweight GFRC




### QMF300

Width: 300mm  
Height: 2800mm  
Thickness: 35mm  
\*smooth finish  
\*solid lightweight GFRC




### QMF400

Width: 400mm  
Height: 2800mm  
Thickness: 35mm  
\*smooth finish  
\*solid lightweight GFRC



### QMF600

Width: 600mm  
Height: 2800mm  
Thickness: 35mm  
\*smooth finish  
\*solid lightweight GFRC



The information contained in this document may change without given notice.

# QUOINS


V01.2021



## V-SLOT OFFSET


### OQV265

**Wide:** 365mm  
**Narrow:** 265mm  
**Slot:** 40mm  
**Height:** 2600mm  
**Thickness:** 35mm  
\*smooth finish  
\*solid lightweight GFRC  
\*available in left and right versions




### OQV300 RIGHT

**Wide:** 380mm  
**Narrow:** 260mm  
**Slot:** 30mm  
**Height:** 1370mm  
**Thickness:** 35mm  
\*textured finish  
\*solid lightweight GFRC  
\*available in left and right versions



### LEFT



## BOURBON


### QBOUR-S

**Block:** 290 x 345mm  
**Thickness:** 58mm  
\*smooth finish  
\*solid lightweight GFRC  
\*supplied as individual blocks




### QBOUR-L

**Block:** 290 x 535mm  
**Thickness:** 58mm  
\*smooth finish  
\*solid lightweight GFRC  
\*supplied as individual blocks



### QBOUR-O

**Small:** 290 x 345mm  
**Large:** 290 x 535mm  
**Thickness:** 58mm  
\*smooth finish  
\*solid lightweight GFRC  
\*supplied as individual blocks



The information contained in this document may change without given notice.